


CITADEL 4S LED

CITADEL 4S™
Combination of the
Citadel 4™ & 4i™
Enclosures in a
SMALLER unit for tight
areas that need LED light.



APPLICATIONS:

- Low Bay Areas that require a smaller LED Enclosure

FEATURES & BENEFITS:

- Compact Size
 - 26.6" Long, 14.5" Wide, 5.8" Deep
- Designed for complete compatibility with LEDs
- Poured in place gasket & latches seal the enclosures from hostile environments
- Familiar Economical Mounting Options Plus More
- Flat Boardtrays for use with
 - Typical 0.95" or 1.60" Boards
 - Lances Keeps Boards From Slipping Out of Position
 - Captive tray operates from either side
- New Lens Clips (Patent Pending)


CERTIFICATIONS

- UL Wet Location
- UL evaluated for 25° & 40° C ambient temperatures
- NSF International
- IP65, IP66, IP67
- IP69
- Nema 4X
- RoHS
- Patented
- SLP Guardian Seal
- DLC QPL
- PSI 1500

- Board Retention Clips Snap Boards Into Place Quickly
 - Scratch Proof And Conductivity Inhibitor Coating On Clips
 - Clip Design Works for .060" To .084" Overall Thickness of Board
- Separate Driver and LED Board Mounting Surfaces
- Very tough diffusers resist breakage and reduce replacement costs
 - Water Clear or Full Frosted
- Utilizes off the shelf 1/2" fittings
- 316 Stainless Hardware

Product offering and specifications subject to change without notice.

CITADEL 4S LED



ASSEMBLY GUIDE:

COMPONENT	STANDARD MATERIAL	PIECES REQUIRED PER ASSEMBLY	AVAILABLE OPTIONS
HOUSING	UL RATED: 5VA(f1) FRP	1	NA
DRIVER ATTACHMENT RAIL	SHEET METAL	1	NA
DRIVER ATTACHMENT RAIL CLIPS		4 - BASIC DRIVERS 6 - FOR PENDANT MOUNT	NA
DIFFUSER	POLYCARBONATE OR IMPACT RESISTANT ACRYLIC (f1) MATERIAL	1	OPTICALLY CLEAR OR FR50 FROSTED
BOARDTRAY	SHEET METAL CRS: MIN 87% REFLECTANCE	1	4R / .095, .160
GEARTRAY RETAINER CLIPS	316 STAINLESS STEEL	4	NA
RETAINER CLIP SCREW	STEEL ZINC PLATED	4	NA
BOARD RETENTION CLIPS	METAL WHITE	8	NA
DRIVER TRAY (OPTIONAL)	SHEET METAL	1	L-SHAPE FOR 1 / U-SHAPE FOR 2
UNIVERSAL GEARTRAY SCREW *CT-SCRW-UGT		2 PER DRIVER	
GEARTRAY SAFETY TETHER	STAINLESS STEEL	2	NA
LENS CLIPS	316 STAINLESS	IP Rating Design Intent: IP65, IP66, IP69 - 10 clips IP67 - 16 clips*	316 SS CAPTIVE LATCHES WHITE CAPTIVE LATCH
ENDPLUG	BULK	1	NA
MOUNTING STRAP	316 STAINLESS STEEL	4	NA
MOUNTING OPTIONS		2	V-HOOK, FLEXIBLE CEILING MOUNT, RIGID MOUNTING BEAM, PENDANT, CABLE (PROVIDED BY OTHERS)
GROUND WIRE		1	NA

Product offering and specifications subject to change without notice.



SLP LIGHTING
www.splighting.com

V04142021

1400 S. Old Highway 141
Fenton, MO 63026
636-600-4084

CITADEL 4S LED

OEM COMPONENTS:

COMPONENTS FOR CT4s LED APPLICATIONS

CITADEL 4S HOUSING		MATERIAL	PART #	PCS/CTN	WT/CTN	SKID QTY
STANDARD HOUSING		5VA-f1 FIBERGLASS (UL)	CT4S-HV5	10	45LBS/20.41KG	90

CITADEL 4S™ LED BOARDTRAYS						*Boards Provided by Others
DESIGN	FINISH	PART #	PCS/CTN	FULL SKID QTY	FULL SKID WT.	
4 ROWS OF 0.95" BOARDS	WHITE ENAMEL	CT4S-LED-BT1-4R095	BULK	200	874LBS/396.43KG	
4 ROWS OF 1.60" BOARDS	WHITE ENAMEL	CT4S-LED-BT1-4R160	BULK	200	874LBS/396.43KG	

CITADEL 4S™ MOUNTING		PART #	PCS/BAG	PCS/CTN	WT/CTN
FLEXIBLE CEILING MOUNT		CT4-CM1.25	20	400	64LBS/29.02KG
V-HOOK		CT4-VHOOK	20	5000	453LBS/205.47
STAINLESS STEEL RIGID MOUNTING BEAM		CT4I-MB-SS	20	20	17LBS/7.71KG
ZINC PLATED RIGID MOUNTING BEAM		CT4I-MB-ZP	20	20	17LBS/7.71KG

CITADEL 4S™ MOUNTING ACCESSORIES		PART #	FINISH	PCS/CTN	WT/CTN
DRIVER ATTACHMENT RAIL FOR PENDANT MOUNT		CT4S-2XDAR	WHITE ENAMEL		
DRIVER ATTACHMENT RAIL CLIPS		CT-2XDAR-CLIP	BLACK	4000	44LBS/19.95KG

CITADEL 4S™ HARDWARE		PART #	PCS/BAG	PCS/CTN	WT/CTN
STAINLESS STEEL MOUNTING STRAP		CT4S-MS-SS	40	400	20LBS/9.07KG
STAINLESS STEEL OPERATOR (FOR RIGID MOUNTING BEAM)		CT4I-MS-SS-OPERATOR	40	480	17LBS
STAINLESS STEEL MOUNTING BRACKET		CT4S-MB-SS	20		16LBS
BOARD RETENTION CLIP		CT-LED-BRC-SM	200	5000	39LBS
CITADEL UNIVERSAL GEARTRAY SCREW		CT-SCRW-UGT	100	10,000	56LBS
CITADEL GROUND WIRE		CT4I-GND-15	100	2000	23LBS/10.43KGS
1/2" HUB		CT-DCB-50	40	200	30LBS/13.6KG
3/4" HUB		CT-DCB-75	25	100	20LBS/9.07KG
GEARTRAY RETAINER CLIPS		CT4-GTRC	40	1200	24LBS/ 10.43KG
GEARTRAY RETAINER CLIP SCREWS		CT-SCRW	100	10,000	47LBS/23.58KG
12" GEARTRAY TETHER (2 PER FIXTURE)		CT-LT12	20	2000	11LBS/4.98KG
8" LENS TETHERS (2 REQUIRED PER FIXTURE)		CT-LT8	20	3000	14LBS/6.35KG
END PLUGS		CT-ENDPLUG-B	200	3000	23LBS/10.43KG
WIRE GROMMET		SLP-GRMT-0500	200	1000	

CITADEL 4S™ DIFFUSERS					
DESIGN	MATERIAL	PART #	PCS/CTN	WT/CTN	SKID QTY
WATER CLEAR	CLEAR POLYCARBONATE	CT4S-DP	10	24LBS/10.88KG	90
	CLEAR IMPACT RESISTANT ACRYLIC	CT4S-DIRA	10	22LBS/9.97KG	90
FR50 FROSTED	FROSTED POLY CARBONATE	CT4S-DP-FR50	10	24LBS/10.88KG	90
	FROSTED IMPACT RESISTANT ACRYLIC	CT4S-DIRA-FR50	10	22LBS/9.97KG	90

CITADEL 4S™ LATCHES		PART #	PCS/BAG	PCS/CTN	WT/CTN
STAINLESS STEEL LENS CLIP		CT4S-LC	200	7000	51LBS/23.13KG
STAINLESS STEEL CAPTIVE LATCH		CT4S-LATCHSS	200	1600	50LBS/22.67KG
WHITE CAPTIVE LATCH		CT4S-LATCHW	200	2000	31LBS

Product offering and specifications subject to change without notice.